

SugarCRM SOAP Modules and Fields listing

SugarCRM server info is :

Address : [http://\[Hiding from Spammers\]/service/v2/soap.php?wsdl](http://[Hiding from Spammers]/service/v2/soap.php?wsdl)

Get Available Modules

1. [Home](#)
2. [Dashboard](#)
3. [Calendar](#)
4. [Activities](#)
5. [Leads](#)
6. [Contacts](#)
7. [Accounts](#)
8. [Opportunities](#)
9. [Emails](#)
10. [Campaigns](#)
11. [Cases](#)
12. [Documents](#)
13. [Project](#)
14. [Bugs](#)
15. [Administration](#)
16. [Currencies](#)
17. [CustomFields](#)
18. [Connectors](#)
19. [Dropdown](#)
20. [Dynamic](#)
21. [DynamicFields](#)
22. [DynamicLayout](#)
23. [EditCustomFields](#)
24. [EmailTemplates](#)
25. [Help](#)
26. [Import](#)
27. [MySettings](#)
28. [FieldsMetaData](#)
29. [UpgradeWizard](#)
30. [Trackers](#)
31. [Releases](#)
32. [Sync](#)
33. [Users](#)

34. **Versions**
35. **EmailMan**
36. **ProspectLists**
37. **Prospects**
38. **Employees**
39. **LabelEditor**
40. **Roles**
41. **EmailMarketing**
42. **OptimisticLock**
43. **TeamMemberships**
44. **TeamSets**
45. **TeamSetModule**
46. **Audit**
47. **MailMerge**
48. **MergeRecords**
49. **EmailAddresses**
50. **Schedulers**
51. **Schedulers_jobs**
52. **InboundEmail**
53. **CampaignLog**
54. **Groups**
55. **ACLActions**
56. **ACLRoles**
57. **CampaignTrackers**
58. **DocumentRevisions**
59. **ProjectTask**
60. **ACL**
61. **Configurator**
62. **UserPreferences**
63. **SavedSearch**
64. **Studio**
65. **SugarFeed**
66. **Calls**
67. **Meetings**
68. **Notes**
69. **Tasks**

[1] 'Home'

[2] 'Dashboard' fields

1. **id**
2. **deleted**

3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **assigned_user_id**
7. **created_by**
8. **name**
9. **description**
10. **content**
11. **modified_by_name**
12. **created_by_name**

Linked Fields for Dashboard

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'dashboards_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'dashboards_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'dashboards_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

This took 1,290,582,489.0282 seconds to generate

[3] 'Calendar'

[4] 'Activities'

[5] 'Leads' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **salutation** - Mr., Ms., Mrs., Dr., Prof.
14. **first_name**
15. **last_name**
16. **full_name**
17. **title**
18. **department**
19. **do_not_call**
20. **phone_home**
21. **phone_mobile**
22. **phone_work**
23. **phone_other**
24. **phone_fax**
25. **email1**
26. **email2**
27. **invalid_email**
28. **email_opt_out**
29. **primary_address_street**
30. **primary_address_street_2**
31. **primary_address_street_3**
32. **primary_address_city**
33. **primary_address_state**
34. **primary_address_postalcode**
35. **primary_address_country**
36. **alt_address_street**
37. **alt_address_street_2**

38. **alt_address_street_3**
39. **alt_address_city**
40. **alt_address_state**
41. **alt_address_postalcode**
42. **alt_address_country**
43. **assistant**
44. **assistant_phone**
45. **converted**
46. **referred_by**
47. **lead_source** - Cold Call, Existing Customer, Self Generated, Employee, Partner, Public Relations, Direct Mail, Conference, Trade Show, Web Site, Word of mouth, Email, Campaign, Other
48. **lead_source_description**
49. **status** - New, Assigned, In Process, Converted, Recycled, Dead
50. **status_description**
51. **reports_to_id**
52. **report_to_name**
53. **account_name**
54. **account_description**
55. **contact_id**
56. **account_id**
57. **opportunity_id**
58. **opportunity_name**
59. **opportunity_amount**
60. **campaign_id**
61. **campaign_name**
62. **c_accept_status_fields**
63. **m_accept_status_fields**
64. **accept_status_id**
65. **accept_status_name** - accept, decline, tentative, none
66. **webtolead_email1**
67. **webtolead_email2**
68. **webtolead_email_opt_out**
69. **webtolead_invalid_email**
70. **birthdate**
71. **portal_name**
72. **portal_app**

Linked Fields for Leads

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'

- [relationship] -> 'leads_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'leads_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'leads_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'leads_email_addresses_primary'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'leads_email_addresses'

reports_to_link

- [name] -> 'reports_to_link'
- [type] -> 'link'
- [relationship] -> 'lead_direct_reports'

accounts

- [name] -> 'accounts'

- [type] -> 'link'
- [relationship] -> 'account_leads'

campaign_leads

- [name] -> 'campaign_leads'
- [type] -> 'link'
- [relationship] -> 'campaign_leads'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'lead_tasks'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'lead_notes'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_leads'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_leads'

oldmeetings

- [name] -> 'oldmeetings'
- [type] -> 'link'
- [relationship] -> 'lead_meetings'

oldcalls

- [name] -> 'oldcalls'
- [type] -> 'link'
- [relationship] -> 'lead_calls'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_leads_rel'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'lead_campaign_log'
- [module] -> 'CampaignLog'
- [bean_name] -> 'CampaignLog'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_leads'
- [module] -> 'ProspectLists'

This took 0.9634 seconds to generate

[6] 'Contacts' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**

10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **salutation** - Mr., Ms., Mrs., Dr., Prof.
14. **first_name**
15. **last_name**
16. **full_name**
17. **title**
18. **department**
19. **do_not_call**
20. **phone_home**
21. **phone_mobile**
22. **phone_work**
23. **phone_other**
24. **phone_fax**
25. **email1**
26. **email2**
27. **invalid_email**
28. **email_opt_out**
29. **primary_address_street**
30. **primary_address_street_2**
31. **primary_address_street_3**
32. **primary_address_city**
33. **primary_address_state**
34. **primary_address_postalcode**
35. **primary_address_country**
36. **alt_address_street**
37. **alt_address_street_2**
38. **alt_address_street_3**
39. **alt_address_city**
40. **alt_address_state**
41. **alt_address_postalcode**
42. **alt_address_country**
43. **assistant**
44. **assistant_phone**
45. **email_and_name1**
46. **lead_source** - Cold Call, Existing Customer, Self Generated, Employee, Partner, Public Relations, Direct Mail, Conference, Trade Show, Web Site, Word of mouth, Email, Campaign, Other
47. **account_name**
48. **account_id**
49. **opportunity_role_fields**
50. **opportunity_role_id**
51. **opportunity_role** - Primary Decision Maker, Business Decision Maker,

Business Evaluator, Technical Decision Maker, Technical Evaluator,
Executive Sponsor, Influencer, Other

52. **reports_to_id**
53. **report_to_name**
54. **birthdate**
55. **campaign_id**
56. **campaign_name**
57. **c_accept_status_fields**
58. **m_accept_status_fields**
59. **accept_status_id**
60. **accept_status_name** - accept, decline, tentative, none
61. **sync_contact**
62. **core_business_c** - Arts, Government, Industry, Science, Not Set
63. **area_of_practice_c** - Artist, Curator, Designer, Educator, Not Set, Programmer, Project Manager/Producer, Scientist, Writer
64. **other_notes_c**
65. **archive_c**
66. **joined_date_c**
67. **ratified_date_c**
68. **admin_notes_c**
69. **status_c** - Current, Inactive, New , Not Set
70. **member_type_c** - Member, Not Set, Sponsor, Subscriber
71. **core_activities_c** - Education, Exhibition/Installation , Funding, Not Set, Production, Publishing, Research
72. **website_c**
73. **website_2_c**
74. **type_c**
75. **current_to_c**
76. **gender_c** - Male, Female, Not set
77. **organisation_c**
78. **postion_c**

Linked Fields for Contacts

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'contacts_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'contacts_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'contacts_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'contacts_email_addresses_primary'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'contacts_email_addresses'
- [module] -> 'EmailAddress'
- [bean_name] -> 'EmailAddress'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'accounts_contacts'

reports_to_link

- [name] -> 'reports_to_link'
- [type] -> 'link'
- [relationship] -> 'contact_direct_reports'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'opportunities_contacts'
- [module] -> 'Opportunities'
- [bean_name] -> 'Opportunity'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'contacts_bugs'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_contacts'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'contacts_cases'

direct_reports

- [name] -> 'direct_reports'
- [type] -> 'link'
- [relationship] -> 'contact_direct_reports'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_contacts_rel'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'contact_leads'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_contacts'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'contact_notes'

project

- [name] -> 'project'
- [type] -> 'link'
- [relationship] -> 'projects_contacts'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'contact_tasks'

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'contacts_users'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'contact_campaign_log'
- [module] -> 'CampaignLog'
- [bean_name] -> 'CampaignLog'

campaign_contacts

- [name] -> 'campaign_contacts'
- [type] -> 'link'
- [relationship] -> 'campaign_contacts'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_contacts'
- [module] -> 'ProspectLists'

This took 0.4787 seconds to generate

[7] 'Accounts' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **account_type** - Analyst, Competitor, Customer, Integrator, Investor, Partner, Press, Prospect, Reseller, Other
14. **industry** - Apparel, Banking, Biotechnology, Chemicals, Communications, Construction, Consulting, Education, Electronics, Energy, Engineering, Entertainment, Environmental, Finance, Government, Healthcare, Hospitality, Insurance, Machinery, Manufacturing, Media, Not For Profit, Recreation, Retail, Shipping, Technology, Telecommunications, Transportation, Utilities, Other
15. **annual_revenue**
16. **phone_fax**
17. **billing_address_street**
18. **billing_address_street_2**

19. **billing_address_street_3**
20. **billing_address_street_4**
21. **billing_address_city**
22. **billing_address_state**
23. **billing_address_postalcode**
24. **billing_address_country**
25. **rating**
26. **phone_office**
27. **phone_alternate**
28. **website**
29. **ownership**
30. **employees**
31. **ticker_symbol**
32. **shipping_address_street**
33. **shipping_address_street_2**
34. **shipping_address_street_3**
35. **shipping_address_street_4**
36. **shipping_address_city**
37. **shipping_address_state**
38. **shipping_address_postalcode**
39. **shipping_address_country**
40. **email1**
41. **parent_id**
42. **sic_code**
43. **parent_name**
44. **email_opt_out**
45. **invalid_email**
46. **campaign_id**
47. **campaign_name**
48. **website1_c**

Linked Fields for Accounts

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'accounts_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'

- [type] -> 'link'
- [relationship] -> 'accounts_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'accounts_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'accounts_email_addresses_primary'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'accounts_email_addresses'

members

- [name] -> 'members'
- [type] -> 'link'
- [relationship] -> 'member_accounts'
- [module] -> 'Accounts'
- [bean_name] -> 'Account'

member_of

- [name] -> 'member_of'
- [type] -> 'link'
- [relationship] -> 'member_accounts'
- [module] -> 'Accounts'
- [bean_name] -> 'Account'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'account_cases'
- [module] -> 'Cases'
- [bean_name] -> 'aCase'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'account_tasks'
- [module] -> 'Tasks'
- [bean_name] -> 'Task'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'account_notes'
- [module] -> 'Notes'
- [bean_name] -> 'Note'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'account_meetings'
- [module] -> 'Meetings'
- [bean_name] -> 'Meeting'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'account_calls'
- [module] -> 'Calls'
- [bean_name] -> 'Call'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_accounts_rel'
- [module] -> 'Emails'
- [bean_name] -> 'Email'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'accounts_bugs'
- [module] -> 'Bugs'
- [bean_name] -> 'Bug'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'accounts_contacts'
- [module] -> 'Contacts'
- [bean_name] -> 'Contact'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'accounts_opportunities'
- [module] -> 'Opportunities'
- [bean_name] -> 'Opportunity'

project

- [name] -> 'project'
- [type] -> 'link'
- [relationship] -> 'projects_accounts'
- [module] -> 'Project'
- [bean_name] -> 'Project'

leads

- [name] -> 'leads'

- [type] -> 'link'
- [relationship] -> 'account_leads'
- [module] -> 'Leads'
- [bean_name] -> 'Lead'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'campaign_accounts'
- [module] -> 'Campaigns'
- [bean_name] -> 'Campaign'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_accounts'
- [module] -> 'ProspectLists'

This took 0.3829 seconds to generate

[8] 'Opportunities' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **opportunity_type** - Existing Business, New Business
14. **account_name**

15. **account_id**
16. **campaign_id**
17. **campaign_name**
18. **lead_source** - Cold Call, Existing Customer, Self Generated, Employee, Partner, Public Relations, Direct Mail, Conference, Trade Show, Web Site, Word of mouth, Email, Campaign, Other
19. **amount**
20. **amount_usdollar**
21. **currency_id**
22. **currency_name**
23. **currency_symbol**
24. **date_closed**
25. **next_step**
26. **sales_stage** - Prospecting, Qualification, Needs Analysis, Value Proposition, Id. Decision Makers, Perception Analysis, Proposal/Price Quote, Negotiation/Review, Closed Won, Closed Lost
27. **probability**

Linked Fields for Opportunities

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'opportunities_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'opportunities_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'opportunities_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

campaign_opportunities

- [name] -> 'campaign_opportunities'
- [type] -> 'link'
- [relationship] -> 'campaign_opportunities'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'accounts_opportunities'
- [module] -> 'Accounts'
- [bean_name] -> 'Account'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'opportunities_contacts'
- [module] -> 'Contacts'
- [bean_name] -> 'Contact'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'opportunity_tasks'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'opportunity_notes'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'opportunity_meetings'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'opportunity_calls'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_opportunities_rel'

project

- [name] -> 'project'
- [type] -> 'link'
- [relationship] -> 'projects_opportunities'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'opportunity_leads'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'opportunities_campaign'
- [module] -> 'CampaignLog'
- [bean_name] -> 'CampaignLog'

campaign_link

- [name] -> 'campaign_link'
- [type] -> 'link'
- [relationship] -> 'opportunities_campaign'
- [module] -> 'Campaigns'
- [bean_name] -> 'Campaign'

currencies

- [name] -> 'currencies'
- [type] -> 'link'
- [relationship] -> 'opportunity_currencies'

This took 0.3022 seconds to generate

[9] 'Emails' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **assigned_user_id**
5. **assigned_user_name**
6. **modified_user_id**
7. **created_by**
8. **deleted**
9. **from_addr_name**
10. **reply_to_addr**
11. **to_addrs_names**
12. **cc_addrs_names**
13. **bcc_addrs_names**
14. **raw_source**
15. **description_html**
16. **description**
17. **date_sent**
18. **message_id**
19. **name**
20. **type** - out, archived, draft, inbound, campaign
21. **status** - archived, closed, draft, read, replied, sent, send_error, unread
22. **flagged**
23. **reply_to_status**
24. **intent**
25. **mailbox_id**
26. **parent_name**
27. **parent_type**
28. **parent_id**
29. **modified_by_name**
30. **created_by_name**

Linked Fields for Emails

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'emails_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'emails_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'emails_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'emails_accounts_rel'
- [module] -> 'Accounts'
- [bean_name] -> 'Account'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'emails_bugs_rel'
- [module] -> 'Bugs'
- [bean_name] -> 'Bug'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'emails_cases_rel'
- [module] -> 'Cases'
- [bean_name] -> 'Case'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'emails_contacts_rel'
- [module] -> 'Contacts'
- [bean_name] -> 'Contact'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'emails_leads_rel'
- [module] -> 'Leads'
- [bean_name] -> 'Lead'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'emails_opportunities_rel'
- [module] -> 'Opportunities'
- [bean_name] -> 'Opportunity'

project

- [name] -> 'project'
- [type] -> 'link'
- [relationship] -> 'emails_projects_rel'
- [module] -> 'Project'
- [bean_name] -> 'Project'

projecttask

- [name] -> 'projecttask'
- [type] -> 'link'
- [relationship] -> 'emails_project_task_rel'
- [module] -> 'ProjectTask'
- [bean_name] -> 'ProjectTask'

prospects

- [name] -> 'prospects'
- [type] -> 'link'
- [relationship] -> 'emails_prospects_rel'
- [module] -> 'Prospects'
- [bean_name] -> 'Prospect'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'emails_tasks_rel'
- [module] -> 'Tasks'
- [bean_name] -> 'Task'

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'emails_users_rel'
- [module] -> 'Users'
- [bean_name] -> 'User'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'emails_notes_rel'
- [module] -> 'Notes'
- [bean_name] -> 'Note'

This took 0.4183 seconds to generate

[10] 'Campaigns' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **tracker_key**
14. **tracker_count**
15. **refer_url**
16. **tracker_text**
17. **start_date**
18. **end_date**
19. **status** - Planning, Active, Inactive, Complete, In Queue, Sending
20. **impressions**
21. **currency_id**
22. **budget**
23. **expected_cost**
24. **actual_cost**
25. **expected_revenue**
26. **campaign_type** - Telesales, Mail, Email, Print, Web, Radio, Television, NewsLetter
27. **objective**
28. **content**
29. **frequency** - Weekly, Monthly, Quarterly, Annually

Linked Fields for Campaigns

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'campaigns_created_by'

- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'campaigns_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'campaigns_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

prospectlists

- [name] -> 'prospectlists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_campaigns'

emailmarketing

- [name] -> 'emailmarketing'
- [type] -> 'link'
- [relationship] -> 'campaign_email_marketing'

queueitems

- [name] -> 'queueitems'
- [type] -> 'link'
- [relationship] -> 'campaign_emailman'

log_entries

- [name] -> 'log_entries'
- [type] -> 'link'

- [relationship] -> 'campaign_campaignlog'

tracked_urls

- [name] -> 'tracked_urls'
- [type] -> 'link'
- [relationship] -> 'campaign_campaigntrakers'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'campaign_leads'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'campaign_opportunities'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'campaign_contacts'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'campaign_accounts'

This took 0.3091 seconds to generate

[11] 'Cases' fields

1. id

2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **case_number**
14. **type** - Administration, Product, User
15. **status** - New, Assigned, Closed, Pending Input, Rejected, Duplicate
16. **priority** - P1, P2, P3
17. **resolution**
18. **work_log**
19. **account_name**
20. **account_name1**
21. **account_id**

Linked Fields for Cases

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'cases_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'cases_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'

- [relationship] -> 'cases_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'case_tasks'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'case_notes'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'case_meetings'
- [bean_name] -> 'Meeting'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_cases_rel'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'case_calls'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'cases_bugs'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'contacts_cases'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'account_cases'

project

- [name] -> 'project'
- [type] -> 'link'
- [relationship] -> 'projects_cases'

This took 0.7589 seconds to generate

[12] 'Documents' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **document_name**
12. **filename**
13. **uploadfile**
14. **active_date**
15. **exp_date**

16. **category_id** - Marketing, Knowledge Base, Sales
17. **subcategory_id** - Marketing Collateral, Product Brochures, FAQ
18. **status_id** - Active, Draft, FAQ, Expired, Under Review, Pending
19. **status**
20. **document_revision_id**
21. **revision**
22. **last_rev_created_name**
23. **last_rev_mime_type**
24. **latest_revision**
25. **last_rev_create_date**
26. **related_doc_id**
27. **related_doc_name**
28. **related_doc_rev_id**
29. **related_doc_rev_number**
30. **is_template**
31. **template_type** - mailmerge, eula, nda, license
32. **latest_revision_name**
33. **selected_revision_name**
34. **contract_status**
35. **contract_name**
36. **linked_id**
37. **selected_revision_id**
38. **latest_revision_id**
39. **selected_revision_filename**

Linked Fields for Documents

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'documents_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'documents_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

revisions

- [name] -> 'revisions'
- [type] -> 'link'
- [relationship] -> 'document_revisions'

contracts

- [name] -> 'contracts'
- [type] -> 'link'
- [relationship] -> 'contracts_documents'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'leads_documents'

This took 0.3983 seconds to generate

[13] 'Project' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **assigned_user_id**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **name**
10. **description**
11. **deleted**
12. **estimated_start_date**
13. **estimated_end_date**
14. **status** - Draft, In Review, Published
15. **priority** - high, medium, low
16. **total_estimated_effort**

17. **total_actual_effort**
18. **assigned_user_name**

Linked Fields for Project

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'projects_accounts'

quotes

- [name] -> 'quotes'
- [type] -> 'link'
- [relationship] -> 'projects_quotes'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'projects_contacts'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'projects_opportunities'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'projects_notes'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'projects_tasks'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'projects_meetings'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'projects_calls'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_projects_rel'

projecttask

- [name] -> 'projecttask'
- [type] -> 'link'
- [relationship] -> 'projects_project_tasks'

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'projects_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'projects_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'projects_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'projects_cases'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'projects_bugs'

products

- [name] -> 'products'
- [type] -> 'link'
- [relationship] -> 'projects_products'

This took 0.4299 seconds to generate

[14] 'Bugs' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**

11. **assigned_user_id**
12. **assigned_user_name**
13. **bug_number**
14. **type** - Defect, Feature
15. **status** - New, Assigned, Closed, Pending, Rejected
16. **priority** - Urgent, High, Medium, Low
17. **resolution** - Accepted, Duplicate, Fixed, Out of Date, Invalid, Later
18. **work_log**
19. **found_in_release**
20. **release_name** -
21. **fixed_in_release** -
22. **fixed_in_release_name**
23. **source** - Internal, Forum, Web, InboundEmail
24. **product_category** - Accounts, Activities, Bug Tracker, Calendar, Calls, Campaigns, Cases, Contacts, Currencies, Dashboard, Documents, Emails, Feeds, Forecasts, Help, Home, Leads, Meetings, Notes, Opportunities, Outlook Plugin, Product Catalog, Products, Projects, Quotes, Releases, RSS, Studio, Upgrade, Users

Linked Fields for Bugs

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'bugs_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'bugs_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'bugs_assigned_user'
- [module] -> 'Users'

- [bean_name] -> 'User'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'bug_tasks'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'bug_notes'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'bug_meetings'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'bug_calls'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_bugs_rel'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'contacts_bugs'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'accounts_bugs'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'cases_bugs'

release_link

- [name] -> 'release_link'
- [type] -> 'link'
- [relationship] -> 'bugs_release'
- [module] -> 'Releases'
- [bean_name] -> 'Release'

fixed_in_release_link

- [name] -> 'fixed_in_release_link'
- [type] -> 'link'
- [relationship] -> 'bugs_fixed_in_release'
- [module] -> 'Releases'
- [bean_name] -> 'Release'

projects

- [name] -> 'projects'
- [type] -> 'link'
- [relationship] -> 'projects_bugs'

This took 0.4462 seconds to generate

[15] 'Administration' fields

1. category

2. **name**
3. **value**

Linked Fields for Administration

This took 0.2114 seconds to generate

[16] 'Currencies' fields

1. **id**
2. **name**
3. **symbol**
4. **iso4217**
5. **conversion_rate**
6. **status** - Active, Inactive
7. **deleted**
8. **date_entered**
9. **date_modified**
10. **created_by**
11. **hide**
12. **unhide**
13. **created_by_name**

Linked Fields for Currencies

This took 0.2122 seconds to generate

[17] 'CustomFields' fields

This took 0.2344 seconds to generate

[18] 'Connectors' fields

This took 0.2027 seconds to generate

[19] 'Dropdown'

[20] 'Dynamic'

[21] 'DynamicFields' fields

This took 0.5974 seconds to generate

[22] 'DynamicLayout'

[23] 'EditCustomFields' fields

1. **id**
2. **name**
3. **vname**
4. **comments**
5. **help**
6. **custom_module**
7. **type**
8. **len**
9. **required**
10. **default_value**
11. **date_modified**
12. **deleted**
13. **audited**
14. **massupdate**
15. **duplicate_merge**
16. **reportable**
17. **importable**
18. **ext1**
19. **ext2**
20. **ext3**
21. **ext4**

Linked Fields for EditCustomFields

This took 0.4427 seconds to generate

[24] 'EmailTemplates' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **modified_user_id**
5. **created_by**
6. **published**
7. **name**
8. **description**
9. **subject**
10. **body**
11. **body_html**
12. **deleted**
13. **text_only**
14. **modified_by_name**
15. **created_by_name**

Linked Fields for EmailTemplates

This took 0.2246 seconds to generate

[25] 'Help'

[26] 'Import'

[27] 'MySettings'

[28] 'FieldsMetaData'

[29] 'UpgradeWizard'

[30] 'Trackers' fields

1. **id**
2. **monitor_id**
3. **user_id**
4. **module_name**
5. **item_id**
6. **item_summary**
7. **date_modified**
8. **action**
9. **session_id**
10. **visible**
11. **deleted**

Linked Fields for Trackers

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'tracker_user_id'
- [module] -> 'Users'
- [bean_name] -> 'User'

monitor_id_link

- [name] -> 'monitor_id_link'
- [type] -> 'link'
- [relationship] -> 'tracker_monitor_id'
- [module] -> 'TrackerPerfs'
- [bean_name] -> 'TrackerPerf'

This took 1.7229 seconds to generate

[31] 'Releases' fields

1. **id**
2. **deleted**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**

6. **created_by**
7. **name**
8. **list_order**
9. **status** - Active, Inactive
10. **modified_by_name**
11. **created_by_name**

Linked Fields for Releases

This took 0.2590 seconds to generate

[32] 'Sync'

[33] 'Users' fields

1. **id**
2. **user_name**
3. **user_hash**
4. **system_generated_password**
5. **pwd_last_changed**
6. **authenticate_id**
7. **sugar_login**
8. **first_name**
9. **last_name**
10. **full_name**
11. **name**
12. **reports_to_id**
13. **reports_to_name**
14. **is_admin**
15. **external_auth_only**
16. **receive_notifications**
17. **description**
18. **date_entered**
19. **date_modified**
20. **modified_user_id**
21. **modified_by_name**
22. **created_by**
23. **created_by_name**
24. **title**
25. **department**

26. **phone_home**
27. **phone_mobile**
28. **phone_work**
29. **phone_other**
30. **phone_fax**
31. **status** - Active, Inactive
32. **address_street**
33. **address_city**
34. **address_state**
35. **address_country**
36. **address_postalcode**
37. **user_preferences**
38. **deleted**
39. **portal_only**
40. **employee_status**
41. **messenger_id**
42. **messenger_type**
43. **email1**
44. **is_group**
45. **c_accept_status_fields**
46. **m_accept_status_fields**
47. **accept_status_id**
48. **accept_status_name** - accept, decline, tentative, none

Linked Fields for Users

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_users'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_users'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'contacts_users'

reports_to_link

- [name] -> 'reports_to_link'
- [type] -> 'link'
- [relationship] -> 'user_direct_reports'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses'
- [module] -> 'EmailAddress'
- [bean_name] -> 'EmailAddress'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses_primary'

aclroles

- [name] -> 'aclroles'
- [type] -> 'link'
- [relationship] -> 'acl_roles_users'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_users'
- [module] -> 'ProspectLists'

holidays

- [name] -> 'holidays'
- [type] -> 'link'
- [relationship] -> 'users_holidays'

This took 0.5938 seconds to generate

[34] 'Versions' fields

1. **id**
2. **deleted**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **created_by**
7. **name**
8. **file_version**
9. **db_version**
10. **modified_by_name**
11. **created_by_name**

Linked Fields for Versions

This took 1.1162 seconds to generate

[35] 'EmailMan' fields

1. **date_entered**
2. **date_modified**
3. **user_id**
4. **id**
5. **campaign_id**
6. **marketing_id**
7. **list_id**
8. **send_date_time**
9. **modified_user_id**
10. **in_queue**
11. **in_queue_date**
12. **send_attempts**
13. **deleted**
14. **related_id**
15. **related_type**
16. **recipient_name**
17. **recipient_email**

18. **message_name**
19. **campaign_name**
20. **modified_by_name**

Linked Fields for EmailMan

This took 0.3291 seconds to generate

[36] 'ProspectLists' fields

1. **id**
2. **name**
3. **list_type** - default, seed, exempt_domain, exempt_address, exempt, test
4. **date_entered**
5. **date_modified**
6. **modified_user_id**
7. **modified_by_name**
8. **assigned_user_id**
9. **assigned_user_name**
10. **created_by**
11. **created_by_name**
12. **deleted**
13. **description**
14. **domain_name**
15. **entry_count**
16. **marketing_id**
17. **marketing_name**

Linked Fields for ProspectLists

prospects

- [name] -> 'prospects'
- [type] -> 'link'
- [relationship] -> 'prospect_list_prospects'

contacts

- [name] -> 'contacts'
- [type] -> 'link'

- [relationship] -> 'prospect_list_contacts'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'prospect_list_leads'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'prospect_list_accounts'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'prospect_list_campaigns'

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'prospect_list_users'

This took 0.3409 seconds to generate

[37] 'Prospects' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**

8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **salutation** - Mr., Ms., Mrs., Dr., Prof.
14. **first_name**
15. **last_name**
16. **full_name**
17. **title**
18. **department**
19. **do_not_call**
20. **phone_home**
21. **phone_mobile**
22. **phone_work**
23. **phone_other**
24. **phone_fax**
25. **email1**
26. **email2**
27. **invalid_email**
28. **email_opt_out**
29. **primary_address_street**
30. **primary_address_street_2**
31. **primary_address_street_3**
32. **primary_address_city**
33. **primary_address_state**
34. **primary_address_postalcode**
35. **primary_address_country**
36. **alt_address_street**
37. **alt_address_street_2**
38. **alt_address_street_3**
39. **alt_address_city**
40. **alt_address_state**
41. **alt_address_postalcode**
42. **alt_address_country**
43. **assistant**
44. **assistant_phone**
45. **tracker_key**
46. **birthdate**
47. **lead_id**
48. **account_name**
49. **campaign_id**

Linked Fields for Prospects

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'prospects_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'prospects_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'prospects_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'prospects_email_addresses_primary'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'prospects_email_addresses'

campaigns

- [name] -> 'campaigns'
- [type] -> 'link'
- [relationship] -> 'prospect_campaign_log'
- [module] -> 'CampaignLog'

- [bean_name] -> 'CampaignLog'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_prospects'
- [module] -> 'ProspectLists'

This took 0.3305 seconds to generate

[38] 'Employees' fields

1. **id**
2. **user_name**
3. **user_hash**
4. **system_generated_password**
5. **pwd_last_changed**
6. **authenticate_id**
7. **sugar_login**
8. **first_name**
9. **last_name**
10. **full_name**
11. **name**
12. **reports_to_id**
13. **reports_to_name**
14. **is_admin**
15. **external_auth_only**
16. **receive_notifications**
17. **description**
18. **date_entered**
19. **date_modified**
20. **modified_user_id**
21. **modified_by_name**
22. **created_by**
23. **created_by_name**
24. **title**
25. **department**
26. **phone_home**

27. **phone_mobile**
28. **phone_work**
29. **phone_other**
30. **phone_fax**
31. **status** - Active, Inactive
32. **address_street**
33. **address_city**
34. **address_state**
35. **address_country**
36. **address_postalcode**
37. **user_preferences**
38. **deleted**
39. **portal_only**
40. **employee_status**
41. **messenger_id**
42. **messenger_type**
43. **email1**
44. **is_group**
45. **c_accept_status_fields**
46. **m_accept_status_fields**
47. **accept_status_id**
48. **accept_status_name** - accept, decline, tentative, none

Linked Fields for Employees

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_users'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_users'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'contacts_users'

reports_to_link

- [name] -> 'reports_to_link'
- [type] -> 'link'
- [relationship] -> 'user_direct_reports'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses'
- [module] -> 'EmailAddress'
- [bean_name] -> 'EmailAddress'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses_primary'

aclroles

- [name] -> 'aclroles'
- [type] -> 'link'
- [relationship] -> 'acl_roles_users'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_users'
- [module] -> 'ProspectLists'

holidays

- [name] -> 'holidays'
- [type] -> 'link'
- [relationship] -> 'users_holidays'

This took 0.3105 seconds to generate

[39] 'LabelEditor'

[40] 'Roles' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **modified_user_id**
5. **created_by**
6. **name**
7. **description**
8. **modules**
9. **deleted**
10. **modified_by_name**
11. **created_by_name**

Linked Fields for Roles

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'roles_users'

This took 0.5261 seconds to generate

[41] 'EmailMarketing' fields

1. **id**
2. **deleted**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **created_by**
7. **name**

8. **from_name**
9. **from_addr**
10. **reply_to_name**
11. **reply_to_addr**
12. **inbound_email_id**
13. **date_start**
14. **template_id**
15. **status** - active, inactive
16. **campaign_id**
17. **all_prospect_lists**
18. **template_name**
19. **prospect_list_name**
20. **modified_by_name**
21. **created_by_name**

Linked Fields for EmailMarketing

prospectlists

- [name] -> 'prospectlists'
- [type] -> 'link'
- [relationship] -> 'email_marketing_prospect_lists'

emailtemplate

- [name] -> 'emailtemplate'
- [type] -> 'link'
- [relationship] -> 'email_template_email_marketings'

This took 0.5186 seconds to generate

[42] 'OptimisticLock'

[43] 'TeamMemberships'

[44] 'TeamSets'

[45] 'TeamSetModule'

[46] 'Audit' fields

This took 1.0907 seconds to generate

[47] 'MailMerge'

[48] 'MergeRecords' fields

This took 0.4456 seconds to generate

[49] 'EmailAddresses' fields

1. **id**
2. **email_address**
3. **email_address_caps**
4. **invalid_email**
5. **opt_out**
6. **date_created**
7. **date_modified**
8. **deleted**

Linked Fields for EmailAddresses

This took 0.4427 seconds to generate

[50] 'Schedulers' fields

1. **id**
2. **deleted**
3. **date_entered**
4. **date_modified**
5. **created_by**
6. **modified_user_id**

7. **name**
8. **job**
9. **date_time_start**
10. **date_time_end**
11. **job_interval**
12. **time_from**
13. **time_to**
14. **last_run**
15. **status** - Active, Inactive
16. **catch_up**
17. **modified_by_name**
18. **created_by_name**

Linked Fields for Schedulers

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'schedulers_created_by_rel'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_id_link

- [name] -> 'modified_user_id_link'
- [type] -> 'link'
- [relationship] -> 'schedulers_modified_user_id_rel'
- [module] -> 'Users'
- [bean_name] -> 'User'

schedulers_times

- [name] -> 'schedulers_times'
- [type] -> 'link'
- [relationship] -> 'schedulers_jobs_rel'
- [module] -> 'SchedulersJobs'
- [bean_name] -> 'Scheduler'

This took 0.2677 seconds to generate

[51] 'Schedulers_jobs'

[52] 'InboundEmail' fields

1. **id**
2. **deleted**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **created_by**
7. **name**
8. **status**
9. **server_url**
10. **email_user**
11. **email_password**
12. **port**
13. **service**
14. **mailbox**
15. **delete_seen**
16. **mailbox_type**
17. **template_id**
18. **stored_options**
19. **group_id**
20. **is_personal**
21. **groupfolder_id**
22. **modified_by_name**
23. **created_by_name**

Linked Fields for InboundEmail

modified_user_id_link

- [name] -> 'modified_user_id_link'
- [type] -> 'link'
- [relationship] -> 'inbound_email_modified_user_id'
- [module] -> 'Users'
- [bean_name] -> 'User'

created_by_link

- [name] -> 'created_by_link'

- [type] -> 'link'
- [relationship] -> 'inbound_email_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

This took 0.5298 seconds to generate

[53] 'CampaignLog' fields

1. **id**
2. **campaign_id**
3. **target_tracker_key**
4. **target_id**
5. **target_type**
6. **activity_type** - targeted, send error, invalid email, link, viewed, removed, lead, contact, blocked
7. **activity_date**
8. **related_id**
9. **related_type**
10. **archived**
11. **hits**
12. **list_id**
13. **deleted**
14. **recipient_name**
15. **recipient_email**
16. **campaign_name1**
17. **campaign_name**
18. **campaign_objective**
19. **campaign_content**
20. **date_modified**
21. **more_information**
22. **marketing_id**

Linked Fields for CampaignLog

campaign

- [name] -> 'campaign'
- [type] -> 'link'
- [relationship] -> 'campaign_campaignlog'

created_contact

- [name] -> 'created_contact'
- [type] -> 'link'
- [relationship] -> 'campaignlog_contact'

created_lead

- [name] -> 'created_lead'
- [type] -> 'link'
- [relationship] -> 'campaignlog_lead'

This took 0.5251 seconds to generate

[54] 'Groups' fields

1. **id**
2. **user_name**
3. **user_hash**
4. **system_generated_password**
5. **pwd_last_changed**
6. **authenticate_id**
7. **sugar_login**
8. **first_name**
9. **last_name**
10. **full_name**
11. **name**
12. **reports_to_id**
13. **reports_to_name**
14. **is_admin**

15. **external_auth_only**
16. **receive_notifications**
17. **description**
18. **date_entered**
19. **date_modified**
20. **modified_user_id**
21. **modified_by_name**
22. **created_by**
23. **created_by_name**
24. **title**
25. **department**
26. **phone_home**
27. **phone_mobile**
28. **phone_work**
29. **phone_other**
30. **phone_fax**
31. **status** - Active, Inactive
32. **address_street**
33. **address_city**
34. **address_state**
35. **address_country**
36. **address_postalcode**
37. **user_preferences**
38. **deleted**
39. **portal_only**
40. **employee_status**
41. **messenger_id**
42. **messenger_type**
43. **email1**
44. **is_group**
45. **c_accept_status_fields**
46. **m_accept_status_fields**
47. **accept_status_id**
48. **accept_status_name** - accept, decline, tentative, none

Linked Fields for Groups

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_users'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_users'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'contacts_users'

reports_to_link

- [name] -> 'reports_to_link'
- [type] -> 'link'
- [relationship] -> 'user_direct_reports'

email_addresses

- [name] -> 'email_addresses'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses'
- [module] -> 'EmailAddress'
- [bean_name] -> 'EmailAddress'

email_addresses_primary

- [name] -> 'email_addresses_primary'
- [type] -> 'link'
- [relationship] -> 'users_email_addresses_primary'

aclroles

- [name] -> 'aclroles'
- [type] -> 'link'
- [relationship] -> 'acl_roles_users'

prospect_lists

- [name] -> 'prospect_lists'
- [type] -> 'link'
- [relationship] -> 'prospect_list_users'

- [module] -> 'ProspectLists'

holidays

- [name] -> 'holidays'
- [type] -> 'link'
- [relationship] -> 'users_holidays'

This took 0.3729 seconds to generate

[55] 'ACLActions' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **modified_user_id**
5. **created_by**
6. **name**
7. **category**
8. **acltype**
9. **aclaccess**
10. **deleted**
11. **modified_by_name**
12. **created_by_name**

Linked Fields for ACLActions

roles

- [name] -> 'roles'
- [type] -> 'link'
- [relationship] -> 'acl_roles_actions'

This took 0.3019 seconds to generate

[56] 'ACLRoles' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **modified_user_id**
5. **created_by**
6. **name**
7. **description**
8. **deleted**
9. **modified_by_name**
10. **created_by_name**

Linked Fields for ACLRoles

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'acl_roles_users'

actions

- [name] -> 'actions'
- [type] -> 'link'
- [relationship] -> 'acl_roles_actions'

This took 0.3101 seconds to generate

[57] 'CampaignTrackers' fields

1. **id**
2. **tracker_name**
3. **tracker_url**
4. **tracker_key**
5. **campaign_id**
6. **date_entered**
7. **date_modified**
8. **modified_user_id**

9. **created_by**
10. **is_optout**
11. **deleted**
12. **modified_by_name**
13. **created_by_name**

Linked Fields for CampaignTrackers

campaign

- [name] -> 'campaign'
- [type] -> 'link'
- [relationship] -> 'campaign_campaigntrackers'

This took 0.4552 seconds to generate

[58] 'DocumentRevisions' fields

1. **id**
2. **change_log**
3. **document_id**
4. **date_entered**
5. **created_by**
6. **filename**
7. **file_ext**
8. **file_mime_type**
9. **revision**
10. **deleted**
11. **date_modified**
12. **created_by_name**
13. **latest_revision_id**

Linked Fields for DocumentRevisions

documents

- [name] -> 'documents'
- [type] -> 'link'
- [relationship] -> 'document_revisions'

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'revisions_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

This took 0.3830 seconds to generate

[59] 'ProjectTask' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **project_id**
5. **project_task_id**
6. **name**
7. **status** - Not Started, In Progress, Completed, Pending Input, Deferred
8. **description**
9. **predecessors**
10. **date_start**
11. **time_start**
12. **time_finish**
13. **date_finish**
14. **duration**
15. **duration_unit** - Days, Hours
16. **actual_duration**
17. **percent_complete**
18. **parent_task_id**
19. **assigned_user_id**
20. **modified_user_id**
21. **modified_by_name**
22. **priority** - High, Medium, Low
23. **created_by**
24. **created_by_name**
25. **milestone_flag**
26. **order_number**

27. **task_number**
28. **estimated_effort**
29. **actual_effort**
30. **deleted**
31. **utilization**
32. **project_name**
33. **assigned_user_name**

Linked Fields for ProjectTask

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'project_tasks_notes'

tasks

- [name] -> 'tasks'
- [type] -> 'link'
- [relationship] -> 'project_tasks_tasks'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'project_tasks_meetings'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'project_tasks_calls'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_project_task_rel'

projects

- [name] -> 'projects'
- [type] -> 'link'
- [relationship] -> 'projects_project_tasks'

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'project_tasks_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'project_tasks_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

project_name_link

- [name] -> 'project_name_link'
- [type] -> 'link'
- [relationship] -> 'projects_project_tasks'
- [module] -> 'Projects'
- [bean_name] -> 'Project'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'project_tasks_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

This took 0.3222 seconds to generate

[60] 'ACL'

[61] 'Configurator'

[62] 'UserPreferences' fields

1. **id**
2. **category**
3. **deleted**
4. **date_entered**
5. **date_modified**
6. **assigned_user_id**
7. **assigned_user_name**
8. **contents**

Linked Fields for UserPreferences

This took 0.8128 seconds to generate

[63] 'SavedSearch' fields

1. **id**
2. **name**
3. **search_module**
4. **deleted**
5. **date_entered**
6. **date_modified**
7. **assigned_user_id**
8. **assigned_user_name**
9. **contents**
10. **description**

Linked Fields for SavedSearch

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'saved_search_assigned_user'
- [module] -> 'Users'

- [bean_name] -> 'User'

This took 0.2679 seconds to generate

[64] 'Studio'

[65] 'SugarFeed' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **related_module**
14. **related_id**
15. **link_url**
16. **link_type**

Linked Fields for SugarFeed

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'sugarfeed_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'

- [relationship] -> 'sugarfeed_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'sugarfeed_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

This took 0.4526 seconds to generate

[66] 'Calls' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **duration_hours**
14. **duration_minutes**
15. **date_start**
16. **date_end**
17. **parent_type**
18. **parent_name** - Accounts, Bugs, Cases, Contacts, Leads, Opportunities, Project, ProjectTask, Prospects, Tasks
19. **status** - Planned, Held, Not Held
20. **direction** - Inbound, Outbound
21. **parent_id**
22. **reminder_checked**

23. **reminder_time**
24. **outlook_id**
25. **accept_status**
26. **contact_name**
27. **contact_id**

Linked Fields for Calls

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'calls_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'calls_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'calls_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

account

- [name] -> 'account'
- [type] -> 'link'
- [relationship] -> 'account_calls'

opportunity

- [name] -> 'opportunity'
- [type] -> 'link'

- [relationship] -> 'opportunity_calls'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'calls_leads'

case

- [name] -> 'case'
- [type] -> 'link'
- [relationship] -> 'case_calls'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'account_calls'
- [module] -> 'Accounts'
- [bean_name] -> 'Account'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'calls_contacts'

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'calls_users'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'calls_notes'
- [module] -> 'Notes'
- [bean_name] -> 'Note'

This took 0.4449 seconds to generate

[67] 'Meetings' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **accept_status**
14. **location**
15. **duration_hours**
16. **duration_minutes**
17. **date_start**
18. **date_end**
19. **parent_type**
20. **status** - Planned, Held, Not Held
21. **direction** - Inbound, Outbound
22. **parent_id**
23. **reminder_checked**
24. **reminder_time**
25. **outlook_id**
26. **contact_name**
27. **parent_name** - Accounts, Bugs, Cases, Contacts, Leads, Opportunities, Project, ProjectTask, Prospects, Tasks
28. **contact_id**

Linked Fields for Meetings

created_by_link

- [name] -> 'created_by_link'

- [type] -> 'link'
- [relationship] -> 'meetings_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'meetings_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'meetings_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

contacts

- [name] -> 'contacts'
- [type] -> 'link'
- [relationship] -> 'meetings_contacts'

users

- [name] -> 'users'
- [type] -> 'link'
- [relationship] -> 'meetings_users'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'account_meetings'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'meetings_leads'

opportunity

- [name] -> 'opportunity'
- [type] -> 'link'
- [relationship] -> 'opportunity_meetings'

case

- [name] -> 'case'
- [type] -> 'link'
- [relationship] -> 'case_meetings'

notes

- [name] -> 'notes'
- [type] -> 'link'
- [relationship] -> 'meetings_notes'
- [module] -> 'Notes'
- [bean_name] -> 'Note'

This took 0.2669 seconds to generate

[68] 'Notes' fields

1. **id**
2. **date_entered**
3. **date_modified**
4. **modified_user_id**
5. **modified_by_name**
6. **created_by**
7. **created_by_name**
8. **name**
9. **filename**
10. **file_mime_type**

11. **parent_type**
12. **parent_id**
13. **contact_id**
14. **portal_flag**
15. **embed_flag**
16. **description**
17. **deleted**
18. **parent_name** - Accounts, Contacts, Opportunities, Cases, Leads, Bugs, Emails, Project, ProjectTask, Meetings, Calls
19. **contact_name**
20. **contact_phone**
21. **contact_email**
22. **account_id**
23. **opportunity_id**
24. **acase_id**
25. **lead_id**

Linked Fields for Notes

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'notes_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'notes_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

contact

- [name] -> 'contact'
- [type] -> 'link'
- [relationship] -> 'contact_notes'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'case_notes'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'account_notes'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'opportunity_notes'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'lead_notes'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'bug_notes'

emails

- [name] -> 'emails'
- [type] -> 'link'
- [relationship] -> 'emails_notes_rel'

projects

- [name] -> 'projects'
- [type] -> 'link'
- [relationship] -> 'projects_notes'

project_tasks

- [name] -> 'project_tasks'
- [type] -> 'link'
- [relationship] -> 'project_tasks_notes'

meetings

- [name] -> 'meetings'
- [type] -> 'link'
- [relationship] -> 'meetings_notes'

calls

- [name] -> 'calls'
- [type] -> 'link'
- [relationship] -> 'calls_notes'

This took 0.2809 seconds to generate

[69] 'Tasks' fields

1. **id**
2. **name**
3. **date_entered**
4. **date_modified**
5. **modified_user_id**
6. **modified_by_name**
7. **created_by**
8. **created_by_name**
9. **description**
10. **deleted**
11. **assigned_user_id**
12. **assigned_user_name**
13. **status** - Not Started, In Progress, Completed, Pending Input, Deferred
14. **date_due_flag**
15. **date_due**
16. **time_due**

17. **date_due_field**
18. **date_start_flag**
19. **date_start**
20. **date_start_field**
21. **parent_type**
22. **parent_name** - Accounts, Bugs, Cases, Contacts, Leads, Opportunities, Project, ProjectTask, Prospects, Tasks
23. **parent_id**
24. **contact_id**
25. **contact_name**
26. **contact_phone**
27. **contact_email**
28. **priority** - High, Medium, Low

Linked Fields for Tasks

created_by_link

- [name] -> 'created_by_link'
- [type] -> 'link'
- [relationship] -> 'tasks_created_by'
- [module] -> 'Users'
- [bean_name] -> 'User'

modified_user_link

- [name] -> 'modified_user_link'
- [type] -> 'link'
- [relationship] -> 'tasks_modified_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

assigned_user_link

- [name] -> 'assigned_user_link'
- [type] -> 'link'
- [relationship] -> 'tasks_assigned_user'
- [module] -> 'Users'
- [bean_name] -> 'User'

contacts

- [name] -> 'contacts'

- [type] -> 'link'
- [relationship] -> 'contact_tasks'

accounts

- [name] -> 'accounts'
- [type] -> 'link'
- [relationship] -> 'account_tasks'

opportunities

- [name] -> 'opportunities'
- [type] -> 'link'
- [relationship] -> 'opportunity_tasks'

cases

- [name] -> 'cases'
- [type] -> 'link'
- [relationship] -> 'case_tasks'

bugs

- [name] -> 'bugs'
- [type] -> 'link'
- [relationship] -> 'bug_tasks'

leads

- [name] -> 'leads'
- [type] -> 'link'
- [relationship] -> 'lead_tasks'

projects

- [name] -> 'projects'
- [type] -> 'link'
- [relationship] -> 'projects_tasks'

project_tasks

- [name] -> 'project_tasks'
- [type] -> 'link'
- [relationship] -> 'project_tasks_tasks'

This took 0.3103 seconds to generate

This page took 22.386 seconds to generate